Site A

Assessor	Jol
< <name>></name>	<<

Assessment task:	Using hand held power tools

Persons at risk	Details	
Contractors	< <e.g. all="" operatives="">></e.g.>	< <e.< td=""></e.<>
Visitors		
Gen. Public / Others	<e.g. anyone="" in="" the="" vicinity="">></e.g.>	

Hz No.	Hazard description	How are persons affected?	Р
1	Manual handling	e.g. Holding or using power tools in awkward positions can cause muscle strains.	< <e. 4>:</e.
2	Entanglement with moving parts of tools	e.g. Getting fingers or loose clothing caught in exposed spinning/turning parts of the tools could result in serious injury	< <e. 4>:</e.
3	Slips trips and falls	e.g. Operatives can injure themselves if they trip over power or extension leads	< <e. 4>:</e.
4	Falling objects	e.g. Pieces of timber or boards falling while being fixed to walls or ceilings will injure the operatives or anyone else in the area.	< <e. 4>:</e.

Probability (P)	5=very likely, 4=likely, 3=quite possible, 2=possible, 1=unlikely
Severity (S)	5=fatal, 4=severe, 3=moderate, 2=slight, 1=negligible
Risk (R)	0-8=low risk, no action required. 9-15=medium risk, ensure ad

© Simply-docs – Site Risk Assessment Form HS.CON.RA.11

	1
\	

RA Ref No:

Assessment Date	Review Dates / Initials	
< <date>></date>	< <dates>></dates>	< <initials>></initials>

any	disabled?	Comments
′es	□No	
′es	□ No	
′es	☐ No	

Existing controls	Further controls / action
.g. Operatives attended Manual dling training session>>	<e.g. aloft="" are="" be="" ensure="" for="" held="" long="" make="" not="" periods="" planned="" site="" supervisor="" sure="" that="" to="" tools="" work="">></e.g.>
.g. Only experienced trained operatives e permitted to use power tools>>	<e.g. are="" ensure="" inexperienced="" operatives="" site="" supervised="" supervisor="" that="" to="">></e.g.>
.g. Operatives to be told to minimise the of trailing leads>>	< <e.g. area="" clear="" ensure="" is="" kept="" site="" supervisor="" that="" to="" work="">></e.g.>
.g. Operatives to take extra care when g especially above head height>>	<e.g. area="" assess="" hard="" hats="" in="" need="" site="" supervisor="" the="" to="" works="">></e.g.>

25=high risk, stop operation & implement control measures	

5	Noise	Eg. Noise created by cutting, drilling etc can damage operatives hearing and anyone else in vicinity	<< e;
6	Flying objects/debris	Eg. Shards of material may fly off while being hammered or drilled etc, any contact with the eyes will cause serious injury	<< e;
7			

eg Operatives to wear ear defenders.	<eg area="" clear="" ensure="" essential="" is="" kept="" non="" of="" personnel.="" site="" supervisor="" that="" to="" work="">></eg>
eg Operatives to be aware of risk of ris flying >>	<eg assess="" eye="" for="" need="" ppe="" protective="" site="" supervisor="" the="" to="">></eg>

Probability (P) 5=very likely, 4=likely, 3=quite possible, 2=possible, 1=unlikely Severity (S) 5=fatal, 4=severe, 3=moderate, 2=slight, 1=negligible Risk (R) 0-8=low risk, no action required. 9-15=medium risk, ensure ad

© Simply-docs – Site Risk Assessment Form HS.CON.RA.11

-25=high risk, stop operation & implement control measures